




# Technical Data Sheet

**Article:** 2215 

**Model:** Nitril-Disposable Gloves, powder-free

**Sizes:** S, M, L, XL

For details on product dimensions and weights see below (table).

**Colour:** lavender

**Material:** Nitrile, non-powdered


**Mat. thickness:** 0,12 mm (approx.)

**Packaging:** 10 box / carton

**quantity per box:** 100 pieces


Details of packaging are below mentioned (table)

**Care instructions:**




**PPE-category:** **Category III - includes risks that may lead to serious consequences such as death or irreversible damage to health, in accordance with PPE Regulation (EU) 2016/425, Annex I**  
(published in the Official Journal of the European Union)

**Standardize:**  
 EN 420:2003+A1:2009 - Protective gloves - General requirements and test methods  
 EN 374-1:2016 - Protective gloves against dangerous chemicals and micro-organisms (Part 1: Terminology and performance requirements for chemical risks)

Typ B:	Chemicals:	EN 374-4:2013	Class
	40% Sodium hydroxide (K)	-4,3%	6
	30% Hydrogen peroxide (P)	18%	6
	37% Formaldehyde (T)	28%	6

EN 374-5:2016 - Protective gloves against dangerous chemicals and micro-organisms (Part 5: Terminology and performance requirements for micro-organisms risks)

	Resistance to bacteria and fungi:	passed
	Resistance to virus:	passed

**VIRUS**

EN 455 - Medical gloves for single use


EN 455-1:2020 - Medical gloves for single use - Part 1: Requirements and testing for freedom from holes - passed

EN 455-2:2015 - Medical gloves for single use - Part 2: Requirements and testing for physical properties - passed

EN 455-3:2015 - Medical gloves for single use - Part 3: Requirements and testing for biological evaluation - passed

EN 455-4:2009 - Medical gloves for single use - Part 4: Requirements and testing for shelf life determination - passed

EGV 1935:2004 - Regulation (EC) of the European Parliament and of the Council dated 27 October 2004 on materials and objects intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC, Official Journal of the European Union L 388/4 dated 13.11.2004 (and their changes)

	Explanation:	The gloves can therefore be used safely in the food industry for the preparation and handling of foodstuffs. Their unprinted surfaces may come into direct contact with dry, watery, acidic and alcoholic foodstuffs and dairy products for short periods of time.
--	--------------	--

(X = not tested)  
 More detailed information on the standards can be found on the following pages.



© BIG Arbeitsschutz GmbH

**Fittings:**  
 Nitrile (lavender), non-powdered, textured surface, AQL 1.5, rolled cuff, can be worn left and right, tested for use with foodstuffs according to regulation (EG) 1935:2004, material thickness: palm = approx. 0.12 mm/finger = approx. 0.14 mm dispenser box with 100 gloves

**Characteristics:**  
 The gloves provide a good fingertip feel and sense of touch due to the low material thickness and are therefore comfortable to wear. They have a low AQL value, thus ensuring a high level of safety for the wearer. They are also certified for handling food.


**Application:**

Applicable for many hygiene tasks and/or to protect the wearer, such as in the food processing industry, building cleaning and cleaning in general, warehousing and logistics, sorting and packaging work

**Additional information regarding purpose, applications and risk assessment:**

These gloves satisfy the requirements of the quoted standards. Please note that the actual conditions of use cannot be simulated and that the decision on the glove's suitability for its intended purpose therefore lies exclusively with the user. The manufacturer is not responsible for improper use. Hence, an assessment of the residual risk should be performed before use in order to determine whether this glove is suitable for its intended purpose.

Kindly note the printed pictograms and performance levels.

**Precautionary measures during use:**

- Only use gloves with a printed chemical pictogram when handling chemicals.
- Make certain that the selected glove is resistant to the chemicals being used.
- Do not use these gloves to protect against serrated edges or blades, etc.
- If gloves must be used in a hot environment, make certain that they satisfy the requirements of EN 407 and that they were tested as specified therein.
- Do not use the gloves close to moving machine parts.
- Check the gloves carefully before use to make certain there are no defects or imperfections.
- Take note that the gloves do not protect against sharp objects such as injection needles.
- Discard damaged, worn, dirty or soiled gloves, irrespective of the substance (including on the inside), as they may lead to skin irritation and rashes. Consult a doctor or dermatologist should such cases arise.

**EN 420:2003+A1:2009 - General requirements and test methods for gloves**
**Protective gloves against dangerous chemicals and micro-organisms:**

<b>EN ISO 374-1:2016, Part 1:</b>	<b>Terminology and performance requirements for chemical risks</b>
<b>EN 374-2:2014, Part 2:</b>	<b>Determination of resistance to penetration</b>
<b>EN 374-4:2013, Part 4:</b>	<b>Determination of resistance to degradation by chemicals</b>
<b>EN ISO 374-5:2016, Part 5:</b>	<b>Terminology and performance requirements for risks by micro-organisms</b>
<b>EN 16523-1:2015, Part 1:</b>	<b>Determination of material resistance to permeation by chemicals - Part 1 Permeation by liquid chemicals under conditions of continuous contact</b>

**Definition of terms:**

Degradation:	An adverse change in one or more properties of a material used in a protective glove due to contact with a chemical. NB: Examples of degradation include flaking, swelling, disintegration, embrittlement, discolouration, a change in appearance, hardening or softening etc.
Penetration:	Movement of a chemical through materials, seams, pinholes or other imperfections in the protective glove material at a non-molecular level.
Permeation:	Movement process of a chemical through the material of the protective glove material at a molecular level. NB: Permeation includes the following: Absorption of molecules of the chemical into the contacted (outside) surface of a material; Diffusion of the absorbed molecules in the material; Desorption of the molecules from the opposite (inside) surface of the material.

**Terminology and performance requirements for micro-organisms risks EN ISO 374-5:2016:**

Article	Result article 2215
Resistance to Bacteria & Fungi	passed
Resistance to Virus	passed

**Resistance to penetration EN 374-2:2014 Acceptable quality limit (AQL):**

Performance level	Acceptable quality limit (AQL)	Inspection level	Article 2215
3	< 0,65	G1	
2	< 1,50	G1	AQL = 1,50
1	< 4,00	S4	

**Determination of resistance to degradation EN 374-4:2013:**

Code letter	Test chemical	CAS-RN	Class	Article 2215
K	40% Sodium hydroxide	1310-73-2	Inorganic alkali	-4,3%
P	30% Hydrogen peroxide	7722-84-1	Peroxide	18%
T	37% Formaldehyde	500-00-0	Aldehyde	28%

**Material resistance to permeation by chemicals EN ISO 374-1:2016:**



Breakthrough time (min.)	Performance level for permeation
> 10	1
> 30	2
> 60	3
> 120	4
> 240	5
> 480	6

**Protective gloves against chemicals are classified in three types, based on their permeation performance:**

- Type A: The permeation performance must satisfy at least Level 2 for no less than six test chemicals according to the following table:
- Type B: The permeation performance must satisfy at least Level 2 for no less than three test chemicals according to the following table:
- Type C: The permeation performance must satisfy at least Level 1 for no less than one test chemical according to the following table:


**List of test chemicals:**

Code letter	Test chemical	CAS-RN	Class	Breakthrough time (min.) art. 2215	Level art. 2215
A	Methanol	67-56-1	Primary alcohol		
B	Acetone	67-64-1	Ketone		
C	Acetonitril	75-05-8	Nitrile		
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon		
E	Carbon sulphide	75-15-0	Sulphur-containing organic compound		
F	Toluene	108-88-3	Aromatic hydrocarbon		
G	Diethylamine	109-89-7	Amine		
H	Tetrahydrofuran	109-99-9	Heterocyclic and ether compounds		
I	Ethyl acetate	141-78-6	Ester		
J	n-heptane	142-82-5	Aliphatic hydrocarbons		
K	Sodium hydroxide 40%	1310-73-2	Inorganic alkali	> 480	6
L	Sulphuric acid 96%	7664-93-9	Inorganic acid, oxidizing		
M	Nitric acid 65%	7697-37-2	Inorganic acid, oxidizing		
N	Acetic acid 99%	64-19-7	Organic acid		
O	Ammonia water 25%	1336-21-6	Organic alkali		
P	Hydrogen peroxide 30%	7722-84-1	Peroxide	> 480	6
S	Hydrofluoric acid 40%	7664-39-3	Inorganic acid		
T	Formaldehyde 37%	50-00-0	Aldehyde	> 480	6

**Type B:**

The three tested chemicals must be identified by their code letter, positioned below the pictogram as shown below. If chemicals not included in the list are also tested, information on the performance levels must be made available in the user instructions.

EN ISO 374-1:2016/Type B



KPT

**WARNINGS:**

- This information does not provide any details on the actual duration of protection at the workplace; it also does not distinguish between blends and pure chemicals.
- Resistance to chemicals was assessed using samples taken only from the palm and tested under laboratory conditions (apart from the glove measures 400 mm or longer, in which case the cuff is also tested); the stated resistance refers only to the tested chemicals. Resistance may differ if the chemical is present in a blend.
- Users are recommended to check whether the glove is suitable for its intended application, as the conditions at the workplace may differ from those during type testing, depending on the temperature, abrasion and degradation.
- Protective gloves that have already been used may provide less resistance to dangerous chemicals due to changes in their physical properties. The actual service life may be reduced significantly due to degradation, movement, stringing, abrasion and suchlike, caused by contact with chemicals. Degradation may be the most significant factor in regard to aggressive chemicals; this must be duly considered in the selection of protective gloves against chemicals.



- The gloves must always be checked for imperfections before use.
- The manufacturer must provide decontamination instructions for reusable gloves.
- Gloves are for single-use only if they do not include decontamination instructions, and the following warning must be added: To be used only once.

**Protection against micro-organisms (bacteria and fungi) according to EN ISO 374-5:2016:**

**Marking of gloves that protect against bacteria and fungi:**

ISO 374-5:2016



VIRUS



**WARNING:**

Resistance to penetration was assessed under laboratory conditions and refers exclusively to the tested samples.

**EN 455 - Medical gloves for single use:**

	Result article
EN 455-1:2020 - Medical gloves for single use - Part 1: Requirements and testing for freedom from holes	2215 passed
EN 455-2:2015 - Medical gloves for single use - Part 2: Requirements and testing for physical properties	passed
EN 455-3:2015 - Medical gloves for single use - Part 3: Requirements and testing for biological evaluation	passed
EN 455-4:2009 - Medical gloves for single use - Part 4: Requirements and testing for shelf life determination	passed

**Materials and articles in contact with foodstuffs:**

- EN 1186-1:2002, Part 1: Guide to the selection of conditions and test methods for overall migration
- EN 1186-5:2002, Part 5: Test methods for overall migration into aqueous food simulants by cell
- EN 1186-14:2002, Part 14: Test methods for substitute tests for overall migration from plastics
- EN 13130 and CEN/TS 14234 „Materials and articles in contact with foodstuffs - Plastics“



The gloves have been tested for their migration behaviour in accordance with standards EN 1186, EN 13130 and CEN/TS 14234 "Materials and objects in contact with foodstuffs - plastics", in their current form.

They comply with the provisions of:

- Regulation (EC) No. 1935/2004 of the European Parliament and of the Council dated 27 October 2004 on materials and objects intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC, Official Journal of the European Union L 388/4 dated 13.11.2004, as amended by Annex No 5.17 to Regulation (EC) No. 596/2009 dated 18 June 2009, Official Journal of the European Union L 188 dated 18.07.2009, Article 3.
- Food, Commodities and Animal Feed Code (German Food and Feed Code - LFGB) in the version as published on 3 June 2013 (Federal Law Gazette IS.1426), last amended by Article 1 of the Act dated 30 June 2017 (Federal Law Gazette IS.2147), §§ 30 and 31.

And fulfil the requirements of:

Regulation (EU) No. 10/2011 of the Commission dated 14 January 2011 on materials and objects made of plastic and intended to come into contact with foodstuffs, Official Journal of the European Union L 12/1 dated 15.01.2011, last amended by Regulation (EU) 2018/213 of the Commission dated 12 February 2018, Official Journal of the European Union L 41/6 dated 14.02.2018.

They are certified in accordance with the:

German Federal Institute for Risk Assessment Recommendation XXI, commodities based on natural and synthetic rubber, as revised by the 133rd Notification, Federal Health Gazette 22 (1979) 318, last amended by the 220th Notification, Federal Health Gazette 59 (2016) 1365, dated 01.07.2016, including 221st Notification, Federal Health Gazette 61 (2018) 236.

The gloves can therefore be used safely in the food industry for the preparation and handling of foodstuffs. (additional user instructions: further information is available on request.)

The clearance declaration No. ohne from 12.01.2022 was issued by:








Semperit Technische Produkte Ges.m.b.H.  
 Modecenterstrasse 22  
 1030 Vienna  
 Austria

**Markings on the gloves:**

Trademark, art.-no. of manufacturer, size, CE-icon, identification no. of the testing institute, at foodstuff suitability: glass and fork symbol, pictograms with the corresponding numbers of the relevant European PPE standards, i-mark, factory icon with date of manufacture: month/year


**Markings on the gloves:**

Trademark, art.-no. of manufacturer, size, CE-icon, pictograms with the corresponding numbers of the relevant European PPE standards, i-mark, factory icon with date of manufacture: month/year, hourglass pictogram with expiry date: month/year

-  Brand label of manufacturer
- 2215 Article no. of the manufacturer
- 10 Size of gloves (example)
-   Pictograms with the corresponding numbers of the relevant European PPE standards (example, detailed pictogram see previous pages).
-  The glass and fork symbol testifies that the product complies with the applicable requirements of Regulation (EC) 1935:2004 (and subsequent amendments) and can be used in the preparation and handling of foodstuffs.
-  The CE marking confirms compliance with the requirements of European Regulation 2016/425.
- 2777 Four-digit number of the testing institute, which monitors the quality assurance of the manufacturer. This will be attached to the CE mark on the product.
-  i mark: Reference to the manufacturer's information.
-  Date of manufacture month/year: 00/0000

**Dimensions/weights article:**

Size	Length in cm	Width in cm	Height in cm	Weight in g/pair
S	22	8	0,1	
M	24	9	0,1	
L	23,5	9,5	0,1	
XL	24,5	11	0,1	

The above values are approximate and subject to slight variations.

**Details of packaging unit:**


Size	kg gross	kg net	Length in cm	Width in cm	Height in cm
S	8	6,5	25	27	37
M	8	6,5	25	27	37
L	8	6,5	25	27	37
XL	8	6,5	25	27	37

The above values are approximate and subject to slight variations.

**Hazardous ingredients - REACH (Registration, Evaluation, Authorization and Restriction of Chemicals):**

The product is manufactured in compliance with Annex XVII of the European REACH regulation 1907/2006 and contains no hazardous substances in concentrations requiring declaration.

**Declaration of Conformity**

 These gloves are classified as personal protective equipment (PPE). The CE mark confirms that the product satisfies the applicable requirements of Regulation (EU) 2016/425.

**Identification and selection:**

**Selection of gloves must be made according to workplace requirements, type of hazard and relevant environmental conditions. The employer is responsible for choosing the right PSA. Therefore, it is necessary to check the suitability of the gloves for the needs needed before use.**

**Regulation for use:**

The gloves fulfil the safety requirements only if they are worn in an entirely correct manner and in their best condition. Check the gloves for defects or flaws before use. If any tears or holes appear during use of the gloves, they must be disposed of immediately. Make sure that the gloves are not too large or too small and fit exactly. Modifications to this PPE are not permitted. Follow the instructions provided in the manufacturer's information and keep this information in a safe place during the entire service life of the PPE. We assume no responsibility for any damages and/or consequences resulting from improper use.





HANDSCHUHE >>

**Care instructions:**



This product is a disposable single use product and therefore should not be washed, bleached, tumble-dried, ironed, professionally dry cleaned or wet cleaned.

**Cleaning, care and disinfecting:**

The gloves must be carefully examined before they are worn to ensure that there is no damage. These gloves are single-use, disposable products; used gloves must be properly disposed of after use. If the gloves are contaminated with impurities that could pose a hazard, we recommend that the gloves be carefully wiped down alternating right and left. Use the gloved hand in such a way that the gloves can be removed without unprotected hands coming into contact with the impurities.

**Storage and aging:**

The gloves should be stored in their original packaging in a dark, cool and dry place, away from direct sunlight and away from any sources of heat. Prolonged contact with direct sunlight or excessive heat will shorten the service life. Avoid any contact of the product with solvents which could result in changes to the product or its properties. The service life is generally up to 5 years when used and stored properly (see also expiry date on the packaging). The dispenser boxes are also marked with the production date (month/year).

**Disposal:**

Used gloves may be contaminated with environmentally harmful or hazardous substances. Dispose of the gloves in accordance with applicable local laws.

**Health risks:**

Allergies, caused by the proper use of the gloves, are not yet known. If an allergic reaction still occurs, consult a doctor or dermatologist.

**First Aid:**

Remove the gloves if they are contaminated with hazardous materials.

In case of contact with skin: immediately consult a doctor if an allergic reaction occurs.

In case of eye contact: wash out the affected eye with water. Consult a doctor immediately.

**The notified body responsible for the EU Type Examination:**

SATRA Technology Europe Ltd.  
Bracetown Business Park  
Clonee, Dublin D15 YN2P  
Ireland  
Kenn-Nr.: 2777

**Notified body that monitors the manufacturer's quality assurance based on the production process (module D, in accordance with Annex VIII of PPE regulation (EU) 2016/425):**

SATRA Technology Europe Ltd.  
Bracetown Business Park  
Clonee, Dublin D15 YN2P  
Ireland  
Kenn-Nr.: 2777

**For the full Declaration of Conformity and manufacturer's information, please visit:**

[www.big-arbeitsschutz.de](http://www.big-arbeitsschutz.de)



issued on 19.04.2021