



PRD N° 0171 E

Membro degli accordi di mutuo riconoscimento EA, IAF e ILAC Signatory of EA, IAF, ILAC Mutual Recognition agreements

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

## A. N.C.I. Servizi s.r.I. a socio unico - sezione C.I.M.A.C. Community Identification N° 0465

Grants: Manufacturer

COFRA S.R.L. VIA DELL'EURO 53-57-59 76121 BARLETTA

## EU TYPE-EXAMINATION CERTIFICATE MODULE B N° F-100-01123-18

for the following model of Personal Protective Equipment:

Design/ Article: Ankle boot art. "NEW VIGO - 1893"

Category of PPE: II
Additional requirements: S3 SRC

safety footwear for professional use according to harmonized standard (\*) EN ISO 20345:2011

## Picture of the basic model





First issue date: 12/10/2018

Revision date: --

Expiry date: 12/10/2023

EU Type-Examination Certificate n. F-100-01123-18 of 12/10/2018 - Page: 1 of 3





PRD N° 0171 E

Membro degli accordi di mutuo riconoscimento EA, IAF e ILAC Signatory of EA, IAF, ILAC Mutual Recognition agreements

Manufacturer's identification mark:

COFRA

**Classification:** 

I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

cod

SP102

Size range:

from 36 to 48 (french point)

**Identification of last:** 

U5805-1

Manufacturing process::

Injection

The footwear has a:

non-metallic toecap cod AAC03

non-metallic penetration-resistant insert cod OSANW.XXX.F03

removable insock

Additional requirements:

heel area closed;

antistatic properties;

WRU water resistant upper

E energy absorption of seat region;P penetration resistance of sole complex;

FO fuel oil resistant outsole;

cleated outsole.

**Test Reports:** 

The results of tests and examinations are contained in the following test reports:

CIMAC	RP 2018\2272-2-RP-3	dated	12/10/2018
CIMAC	RP 2018\2271-2-RP-3	dated	12/10/2018
CIMAC	RP 2018\2271-2-RP-4	dated	12/10/2018
CIMAC	RP 2018\2271-2-RP-5	dated	12/10/2018
CIMAC	RP 2018\2271-1-RP-3	dated	12/10/2018
CIMAC	RP 2018\2271-1-RP-5	dated	12/10/2018
CIMAC	RP 2017\2005-3-RP-2	dated	02/10/2017
CIMAC	RP 2017\2005-3-RP-3	dated	02/10/2017
CIMAC	RP 2017\2005-3-RP-4	dated	02/10/2017

## Marking

The label inside the footwear shows the following information:

CE Marking (at least 5 mm high)

Name and postal address of the Manufacturer

 $manufacturer's \ type \ designation$ 

the number and year of the reference European standard

Category and additional requirements of the PPE

Month and year of fabrication

Size

Batch number

Reference of informative note

(\*) Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

EU Type-Examination Certificate n. F-100-01123-18 of 12/10/2018 - Page: 2 of 3





PRD N° 0171 B

Membro degli accordi di mutuo riconoscimento EA, IAF e ILAC Signatory of EA, IAF, ILAC Mutual Recognition agreements

Validity conditions: This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal.

The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date.

All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY".

This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.

Technical Responsible Giuseppe Bellotti

EU Type-Examination Certificate n. F-100-01123-18 of 12/10/2018 - Page: 3 of 3