

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

**A. N.C.I. Servizi s.r.l. a socio unico – CIMAC Laboratories**  
**Community Identification N° 0465**

Grants:  
Manufacturer  
**COFRA S.R.L.**  
**VIA DELL'EURO 53-57-59**  
**76121 BARLETTA**

**EU TYPE-EXAMINATION CERTIFICATE MODULE B**  
**N° F-100-03032-19 Rev. 1**

for the following model of Personal Protective Equipment:

**Design/ Article:** Half-knee boot art. FLINT - 2853  
**Category of PPE:** II  
**Additional requirements:** S3 CI HI HRO SRC

safety footwear for professional use according to harmonized standard (\*)  
EN ISO 20345:2011

**Picture of the basic model**



**First issue date: 07/10/2019**  
**Revision date: 29/12/2011**  
**Expiry date: 07/10/2024**

Responsabile Business Unit

Paola Crespi



EU Type-Examination Certificate n. F-100-03032-19 Rev. 1 of 29/12/2021 - Page: 1 of 3 2019\2342-2

<b>Manufacturer's identification mark:</b>	COFRA																																																																										
<b>Classification:</b>	I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear																																																																										
<b>Size range:</b>	from 36 to 48 (french point)																																																																										
<b>Identification of last:</b>	7693																																																																										
<b>Manufacturing process:</b>	Injection																																																																										
<b>The footwear has a:</b>	non-metallic toecap	cod	AACOM (Leonplastic C13)																																																																								
	non-metallic penetration-resistant insert	cod	OSAZC.xxx.F03 (TEXON KNOX)																																																																								
	removable insock	cod	SP220																																																																								
<b>Additional requirements:</b>	heel area closed; A antistatic properties; E energy absorption of seat region; WRU water resistant upper P penetration resistance of sole complex; CI cold insulation of sole complex; HI heat insulation of sole complex; HRO resistance to hot contact of the outsole; FO fuel oil resistant outsole; cleated outsole.																																																																										
<b>Test Reports:</b>	The results of tests and examinations are contained in the following test reports: <table border="0" style="margin-left: 20px;"> <tr><td>CIMAC</td><td>RP 2019/2342-2-RP-2</td><td>dated</td><td>02/10/2019</td></tr> <tr><td>CIMAC</td><td>RP 2018/2301-1-RP-2</td><td>dated</td><td>23/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018/2301-1-RP-4</td><td>dated</td><td>23/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2017/2004-1-RP-2</td><td>dated</td><td>22/09/2017</td></tr> <tr><td>CIMAC</td><td>RP 2017/2479-1-RP-2</td><td>dated</td><td>24/11/2017</td></tr> <tr><td>CIMAC</td><td>RP 2017/2479-1-RP-4</td><td>dated</td><td>24/11/2017</td></tr> <tr><td>CIMAC</td><td>RP 2018/2275-2-RP-2</td><td>dated</td><td>10/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018/2275-2-RP-4</td><td>dated</td><td>10/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018/2270-2-RP-2</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018/2270-2-RP-4</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2017/2481-1-RP-2</td><td>dated</td><td>24/11/2017</td></tr> <tr><td>CIMAC</td><td>RP 2017/2481-1-RP-4</td><td>dated</td><td>24/11/2017</td></tr> <tr><td>CIMAC</td><td>RP 2017/2005-1-RP-2</td><td>dated</td><td>02/10/2017</td></tr> <tr><td>CIMAC</td><td>RP 2017/2005-1-RP-3</td><td>dated</td><td>02/10/2017</td></tr> <tr><td>CIMAC</td><td>RP 2017/2005-1-RP-4</td><td>dated</td><td>02/10/2017</td></tr> <tr><td>CIMAC</td><td>RP 2016/1222-1-RP-2</td><td>dated</td><td>29/06/2016</td></tr> <tr><td>CIMAC</td><td>RP 2016/1222-1-RP-3</td><td>dated</td><td>29/06/2016</td></tr> <tr><td>CIMAC</td><td>RP 2016/1222-1-RP-4</td><td>dated</td><td>29/06/2016</td></tr> </table>			CIMAC	RP 2019/2342-2-RP-2	dated	02/10/2019	CIMAC	RP 2018/2301-1-RP-2	dated	23/10/2018	CIMAC	RP 2018/2301-1-RP-4	dated	23/10/2018	CIMAC	RP 2017/2004-1-RP-2	dated	22/09/2017	CIMAC	RP 2017/2479-1-RP-2	dated	24/11/2017	CIMAC	RP 2017/2479-1-RP-4	dated	24/11/2017	CIMAC	RP 2018/2275-2-RP-2	dated	10/10/2018	CIMAC	RP 2018/2275-2-RP-4	dated	10/10/2018	CIMAC	RP 2018/2270-2-RP-2	dated	12/10/2018	CIMAC	RP 2018/2270-2-RP-4	dated	12/10/2018	CIMAC	RP 2017/2481-1-RP-2	dated	24/11/2017	CIMAC	RP 2017/2481-1-RP-4	dated	24/11/2017	CIMAC	RP 2017/2005-1-RP-2	dated	02/10/2017	CIMAC	RP 2017/2005-1-RP-3	dated	02/10/2017	CIMAC	RP 2017/2005-1-RP-4	dated	02/10/2017	CIMAC	RP 2016/1222-1-RP-2	dated	29/06/2016	CIMAC	RP 2016/1222-1-RP-3	dated	29/06/2016	CIMAC	RP 2016/1222-1-RP-4	dated	29/06/2016
CIMAC	RP 2019/2342-2-RP-2	dated	02/10/2019																																																																								
CIMAC	RP 2018/2301-1-RP-2	dated	23/10/2018																																																																								
CIMAC	RP 2018/2301-1-RP-4	dated	23/10/2018																																																																								
CIMAC	RP 2017/2004-1-RP-2	dated	22/09/2017																																																																								
CIMAC	RP 2017/2479-1-RP-2	dated	24/11/2017																																																																								
CIMAC	RP 2017/2479-1-RP-4	dated	24/11/2017																																																																								
CIMAC	RP 2018/2275-2-RP-2	dated	10/10/2018																																																																								
CIMAC	RP 2018/2275-2-RP-4	dated	10/10/2018																																																																								
CIMAC	RP 2018/2270-2-RP-2	dated	12/10/2018																																																																								
CIMAC	RP 2018/2270-2-RP-4	dated	12/10/2018																																																																								
CIMAC	RP 2017/2481-1-RP-2	dated	24/11/2017																																																																								
CIMAC	RP 2017/2481-1-RP-4	dated	24/11/2017																																																																								
CIMAC	RP 2017/2005-1-RP-2	dated	02/10/2017																																																																								
CIMAC	RP 2017/2005-1-RP-3	dated	02/10/2017																																																																								
CIMAC	RP 2017/2005-1-RP-4	dated	02/10/2017																																																																								
CIMAC	RP 2016/1222-1-RP-2	dated	29/06/2016																																																																								
CIMAC	RP 2016/1222-1-RP-3	dated	29/06/2016																																																																								
CIMAC	RP 2016/1222-1-RP-4	dated	29/06/2016																																																																								

## Marking

CE Marking 

Name and postal address of the Manufacturer  
manufacturer's type designation  
the number and year of the reference European standard  
Category and additional requirements of the PPE  
Month and year of fabrication  
Size  
Batch number  
Reference to informative note



(\*) Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

**Validity conditions:** This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date. All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY". This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.